

TEMPLATE DESIGN INSTRUCTIONS – CLIPPER FULL

INSTRUCTIONS

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK

1

LEVEL " TEMPLATE ":

Leave the level locked.

A

SAFE AREA:

Safe area all important works of art must be placed within the red line.

B



LOGO iLMYO:


iLMYO logo is adapted according to your design, or ability to remove the logo (with surcharge).

C




LOGO CLIPPER REUSABLE:


The **CLIPPER® (reusable o soft)** lettering is present on some clippers (see references). It's possible to activate the logos to evaluate the size of the graphics **(to be deactivated before saving)**.



1
2



A
B
C



2

LEVEL "YOUR DESIGN":

Insert your graphics into the level, inside the red line, it corresponds to the printable area.


D

- Insert your graphics into the level.
- ▲ The full clipper template is oriented horizontally.

▲ **LINE THICKNESS:**

Minimum line thickness within the design for the clipper : **0,20pt**

C
D
2



DESIGN IMAGES:

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design. In the case of PNG images we recommend a png format with 300 DPI



COLOR MODE:

Only **CMYK** colours are possible to print.



TEXT:

If there is text in your design, you need to convert into a text outline.



FILE FORMATS:

Save the file in pdf in high quality.

- It is important to keep the **template** and **graphics** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at commerciale@ilmyo.it

ISTRUZIONI

QUANDO APRI IL FILE TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

1

LIVELLO "TEMPLATE":

Lasciare il livello bloccato.

A

SAFE AREA:

Zona sicura: la grafica scelta deve essere collocata all'interno della linea rossa.

B



LIVELLO "LOGO ILMYO":


Il logo iLMYO viene adattato in base al tuo design, hai la possibilità di rimuovere il logo (con un sovrapprezzo).

C



LOGO CLIPPER REUSABLE:

Il logo **CLIPPER® (reusable o soft)** è presente su alcuni tipi di clipper (vedi riferimenti). È possibile attivare i loghi per valutare l'ingombro della grafica (**da disattivare prima di salvare**).



2


LIVELLO "YOUR DESIGN":

Inserisci la grafica nel livello, all'interno della linea rossa, essa corrisponde all'area stampabile.


D

- Inserisci la tua grafica nel livello.
- ⚠ Il template del modello CLIPPER FULL è orientato in orizzontale.
- ⚠ **SPESSORE:**
Spessore minimo delle tracce all'interno del disegno per il clipper: **0,20pt**


1
2



A
B
C



C
D
2



DESIGN IMAGES:

Nei file forniti dai clienti, le grafiche devono essere **vettoriali**, oppure, nel caso di **immagini raster**, devono essere incorporate all'interno del file.



Nel caso di immagini in formato PNG raccomandiamo una risoluzione di 300 DPI



IMPOSTAZIONI COLORE:

È possibile stampare solo colori **CMYK**.



TESTI:

Nel caso siano presenti testi all'interno del file, è necessario convertirli in traccati.



FORMATO FILE:

Salvare il file in formato PDF per stampa di alta qualità.

- È molto importante mantenere i livelli **TEMPLATE** e **YOUR DESIGN** divisi.

Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: commerciale@ilmyo.it

Step