




TEMPLATE DESIGN INSTRUCTIONS – CLIPPER FLAT

**INSTRUCTIONS**

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK

- ① **LEVEL " TEMPLATE ":**  
Leave the level locked.
- Ⓐ **SAFE AREA:**  
Safe area all important works of art must be placed within the red line.
- Ⓑ **LOGO iLMyO:**  
iLMyO logo is adapted according to your design, or ability to remove the logo (with surcharge).
- Ⓒ **LOGO CLIPPER REUSABLE:**  
The **CLIPPER® (reusable o soft)** lettering is present on some clippers (see references). It's possible to activate the logos to evaluate the size of the graphics (**to be deactivated before saving**).



- ② **LEVEL "YOUR DESIGN":**  
Insert your graphics into the level, inside the red line, it corresponds to the printable area.
- Ⓓ
  - Insert your graphics into the level.
  - ⚠ The flat clipper template is oriented vertically.
  - ⚠ **LINE THICKNESS:**  
Minimum line thickness within the design for the clipper : **0,20pt**



**DESIGN IMAGES:**

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design. In the case of PNG images we recommend a png format with 300 DPI



**COLOR MODE:**

Only **CMYK** colours are possible to print.



**TEXT:**

If there is text in your design, you need to convert into a text outline.



**FILE FORMATS:**

Save the file in pdf in high quality.

- It is important to keep the **TEMPLATE** and **YOUR DESIGN** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

## TEMPLATE: ISTRUZIONI PROGETTAZIONE - CLIPPER FLAT

**ISTRUZIONI**

QUANDO APRI IL FILE TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

**1**
**LIVELLO " TEMPLATE ":**

Lasciare il livello bloccato.

**A**
**SAFE AREA:**

Zona sicura: la grafica scelta deve essere collocata all'interno della linea rossa.

**B**


**LIVELLO "LOGO iLMYO":**

Il logo iLMYO viene adattato in base al tuo design, hai la possibilità di rimuovere il logo (con un sovrapprezzo).

**C**

**LOGO CLIPPER REUSABLE:**



 Il logo **CLIPPER® (reusable o soft)** è presente su alcuni tipi di clipper (vedi riferimenti).

 È possibile attivare i loghi per valutare l'ingombro della grafica (**da disattivare prima di salvare**).

**2**
**LIVELLO "YOUR DESIGN":**

Inserisci la grafica nel livello, all'interno della linea rossa, essa corrisponde all'area stampabile.

**D**

- Inserisci la tua grafica nel livello.
- ⚠ Il template del modello CLIPPER FLAT è orientato in verticale
- ⚠ **SPESSORE:**  
Spessore minimo delle tracce all'interno del disegno per il clipper: **0,20pt**


**DESIGN IMAGES:**

 Nei file forniti dai clienti, le grafiche devono essere **vettoriali**, oppure, nel caso di **immagini raster**, devono essere incorporate all'interno del file.


Nel caso di immagini in formato PNG raccomandiamo una risoluzione di 300 DPI


**IMPOSTAZIONI COLORE:**

 È possibile stampare solo colori **CMYK**.

**TESTI:**

Nel caso siano presenti testi all'interno del file, è necessario convertirli in tracciati.


**FORMATO FILE:**

Salvare il file in formato PDF per stampa di alta qualità.

- È molto importante mantenere i livelli **TEMPLATE** e **YOUR DESIGN** divisi.

 Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

ferma clipper

CAPPUCCIO  
CLIPPER

