



## INSTRUCTIONS

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK


### PRINTING CUSTOMIZATION

- ① **LEVEL " TEMPLATE ":**  
Leave the level locked.  
⚠️ • Do not move or delete any lines
- Ⓐ **RED LINE:**  
Safe area all important works of art must be placed within the red line.
- ② **LEVEL YOUR DESIGN:**  
Insert your graphics into the level, inside the red line, it corresponds to the printable area.  
• Insert your graphics into the level
- Ⓑ **LOGO ILMYO:**  
The iLMYO logo is adjusted based on your design or the ability to remove the logo (with surcharge).
- Ⓒ **DESIGN:**  
The file must be a vector or image.  
• The file must be placed inside the safe area. (example)



### LASER ENGRAVING CUSTOMIZATION

- ② **LEVEL YOUR DESIGN :**  
Insert your graphics into the level  
• Keep your graphics in the printable area
- Ⓒ **DESIGN :**  
The file must be a vector  
• The file should be saved as a track only (example) Ⓓ
- **STROKE:**  
Black Colour   
Thickness: **0,25 pt**



#### DESIGN IMAGES:

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design.  
In the case of PNG images we recommend a png format with 300 DPI



#### COLOR MODE:

Only **CMYK** colours are possible to print



#### TEXT:

If there is text in your design, you need to convert into a text outline.



#### FILE FORMATS:

Save the file in pdf in high quality.

- It is important to keep the **template** and **graphics** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

## ISTRUZIONI

QUANDO APRI IL FILE TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

### PERSONALIZZAZIONE STAMPA



- ① **LIVELLO "TEMPLATE":**  
Lascia il livello bloccato
- ⚠️ • Non muovere o eliminare gli elementi del livello.

- Ⓐ **RED LINE:**  
la grafica scelta deve essere collocata all'interno della linea rossa.

- ② **LEVEL YOUR DESIGN:**  
Inserisci la grafica in questo livello, all'interno della linea rossa, questa corrisponde all'area di stampa.
- Inserisci la tua grafica all'interno della maschera di ritaglio.

- Ⓑ **LOGO ILMYO:**  
Il logo iLMYO viene adattato in base al tuo design, hai la possibilità di rimuovere il logo (con un sovrapprezzo).

- Ⓒ **DESIGN:**  
Il file deve essere un immagine vettoriale.
- Il file deve essere inserito dentro il margine di sicurezza. (esempio)



### PERSONALIZZAZIONE INCISIONE LASER

- ② **LIVELLO "TUO DESIGN":**  
Inserisci qui la tua grafica.
- Tenere la grafica nell'area stampabile.

- Ⓒ **DESIGN:**  
Il file deve essere un vettore.
- Il file dovrebbe essere salvato solo come traccia (esempio) Ⓓ
  - **Traccia:**  
Colore Nero Spessore: **0,25 pt**



#### DESIGN IMAGES:

Nei file forniti dai clienti, le grafiche devono essere **vettoriali**, oppure, nel caso di **immagini raster**, devono essere incorporate all'interno del file.



Nel caso di immagini in formato PNG raccomandiamo una risoluzione di 300 DPI



#### IMPOSTAZIONI COLORE:

È possibile stampare solo colori **CMYK**.



#### TESTI:

Nel caso siano presenti testi all'interno del file, è necessario convertirli in traccati.



#### FORMATO FILE:

Salvare il file in formato PDF per stampa di alta qualità.

- È molto importante mantenere i livelli **TEMPLATE** e **YOUR DESIGN** divisi.

Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

ferma clipper

CAPPUCCIO  
CLIPPER

Welcome  
Cappuccino

clippers