

TEMPLATE DESIGN INSTRUCTIONS - XILMYO 4.0 LANYARD

**INSTRUCTIONS**

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK

**1 LEVEL " RENDER + TEMPLATE ":**

Leave the level locked

**A RENDER DESIGN:**



This is a demonstration drawing. The artwork must be placed in the space for the lanyard customization, the design must show the finished artwork.

**B SAFE AREA:**



Keep important elements of the graphic within the red dotted line "Safe Area".

- Do not move or delete any lines

**2 LEVEL "YOUR DESIGN":**



Insert your graphics in this layer, inside the green line, it corresponds to the printable area.

- Keep your graphic in the printable area.

**C DESIGN:**






The file must be a vector or image. The file must be placed inside the safe area. (example) **D**



**COLOR LANYARD:**

The color of the lanyard can be customized according to your available colors.

**AVAILABLE COLORS:**



**DESIGN IMAGES:**

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design.



In the case of PNG images we recommend a png format with 300 DPI



**COLOR MODE:**

Only **CMYK** colours are possible to print



**TEXT:**

If there is text in your design, you need to convert into a text outline.



**FILE FORMATS:**

Save the file in pdf in high quality.

- It is important to keep the **template** and **graphics** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

## ISTRUZIONI TEMPLATE - XiLMYO 4.0 LANYARD

**ISTRUZIONI**

QUANDO APRI IL FILE TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

**1**
**LIVELLO " RENDER + TEMPLATE ":**

Lasciare il livello bloccato.

**A**

**RENDER DESIGN:**

Questo è un disegno dimostrativo.

Il file grafico deve essere posizionata nello spazio tratteggiato per la personalizzazione del cordino, il render mostra il prototipo del progetto.

**B**

**AREA SICURA:**

Mantieni gli elementi importanti della grafica all'interno della linea rossa tratteggiata "Safe Area".

- Non spostare o eliminare alcuna riga

**2**

**LIVELLO "TUO DESIGN":**

Inserisci la tua grafica nel livello, all'interno della linea verde, corrisponde all'area di stampa.

- Mantieni la grafica nell'area stampabile.

**C**



**DESIGN:**

Il file deve essere un vettore o un'immagine.

- Il file deve essere posizionato all'interno dell'area sicura. (esempio) **D**


**COLORE CORDINO:**

Il colore del cordino può essere personalizzato in base ai colori disponibili.

**COLORI DISPONIBILI:**

**D**

**DESIGN IMMAGINI:**

 Nel file base inviato dal cliente la grafica dovrà essere **vettoriale** o nel caso di **immagini** dovrà essere allegata o incorporata nel progetto finale.


Nel caso di immagini PNG consigliamo un formato PNG con 300 DPI


**MODALITÀ COLORE:**

 È possibile stampare solo i colori **CMYK**

**TESTO:**

Se nel tuo progetto è presente del testo, si deve contertire in traccati o allegare i font utilizzati.


**FORMATO FILE:**


Salva il file in pdf in alta qualità.

- È importante mantenere divisi i livelli del **template** e della **grafica**

 Inviare PDF, EPS, AI, PSD, JPG, PNG files at [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

**CUSTOMIZABLE AREA**

**DIRECT PRINTING**




FRONT

# XiLMYO


## 4.0 MODEL


EXAMPLE LANYARD

 ilmyo\_official


 ilmyo.it

*ilmyo*

 ilmyo\_official

 ilmyo.it

*ilmyo*

 ilmyo\_official

 ilmyo.it

*ilmyo*

LANYARD CUSTOMIZABLE AREA

CHOOSE COLOR:



(Check your choose X)

