




ISTRUZIONI D'USO TEMPLATE - PORTAJOINT STAMPA DIRETTA

ISTRUZIONI

QUANDO APRIRAI IL FILE DI TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

- ① **LEVEL " TEMPLATE ":**
Lasciare il livello bloccato.
- Ⓐ **RED LINE:**
Posizionare la grafica dentro il margine di stampa delimitato dalla linea rossa.
- ② **LIVELLO YOUR DESIGN:**
Inserisci la tua grafica in questo livello, all'interno della linea di taglio, corrisponde all'area del lavoro finito.
- Ⓑ **DESIGN:**
Il file deve essere un immagine vettoriale.
 - Il file deve essere inserito all'interno dell'area di sicurezza. (esempio) Ⓒ



DESIGN IMAGES:

Nei file forniti dai clienti, le grafiche devono essere **vettoriali**, oppure, nel caso di **immagini raster**, devono essere incorporate all'interno del file.



Nel caso di immagini in formato PNG raccomandiamo una risoluzione di 300 DPI



IMPOSTAZIONI COLORE:

È possibile stampare solo colori **CMYK**.



TESTI:

Nel caso siano presenti testi all'interno del file, è necessario convertirli in traccianti.



FORMATO FILE:

Salvare il file in formato PDF per stampa di alta qualità.

- È molto importante mantenere i livelli **TEMPLATE** e **YOUR DESIGN** divisi.




Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: commerciale@ilmyo.it

TEMPLATE DESIGN INSTRUCTIONS – PLASTIC JOINT DIRECT PRINT

INSTRUCTIONS

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK

- ① **LEVEL " TEMPLATE ":**
Leave the level locked.
- Ⓐ **RED LINE:**
Safe area all important works of art must be placed within the red line.
- ② **LEVEL YOUR DESIGN:**
Insert your graphics into the level, inside the red line, it corresponds to the printable area.
- Ⓓ **DESIGN:**
The file must be a vector or image.
 - The file must be placed inside the safe area. (example) Ⓓ



DESIGN IMAGES:

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design.



In the case of PNG images we recommend a png format with 300 DPI



COLOR MODE:

Only **CMYK** colours are possible to print.



TEXT:

If there is text in your design, you need to convert into a text outline.



FILE FORMATS:

Save the file in pdf in high quality.

- It is important to keep the **template** and **graphics** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at commerciale@ilmyo.it

PLASTIC JOINT HOLDER
STANDARD MODEL

