



TEMPLATE DESIGN INSTRUCTIONS - PLASTIC JOINT HOLDER - CYLINDER MODEL

INSTRUCTIONS

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK

①

LEVEL " TEMPLATE ":

Leave the level locked.

Ⓐ



RED LINE:

Safe area all important works of art must be placed within the red line.

*



COLOR PLASTIC CYLINDER JOINT HOLDER:



②



LEVEL YOUR DESIGN:

Insert your graphics into the level, inside the red line, it corresponds to the printable area.


Ⓑ



DESIGN:


The file must be a vector or image.

- The file must be placed inside the safe area. (example) Ⓒ



①


②



Ⓐ

Ⓑ

Ⓒ



DESIGN IMAGES:

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design.



In the case of PNG images we recommend a png format with 300 DPI



COLOR MODE:

Only **CMYK** colours are possible to print



TEXT:

If there is text in your design, you need to convert into a text outline.




FILE FORMATS:

Save the file in pdf in high quality.

- It is important to keep the **template** and **graphics** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at commerciale@ilmyo.it



ISTRUZIONI D'USO TEMPLATE - PORTAJOINT PLASTICA - MODELLO CILINDRO

ISTRUZIONI

QUANDO APRI IL FILE TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

1

LIVELLO " TEMPLATE ":

Lasciare il livello bloccato.

A



LINEA ROSSA:

Posizionare la grafica dentro il margine di stampa delimitato dalla linea rossa.

*



COLORE DI BASE PORTAJOINT:

● ○ ○ TRANSPARENT

2



LIVELLO YOUR DESIGN:

Inserisci la grafica in questo livello, all' interno della linea rossa, questa corrisponde all'area di stampa.



B



DESIGN:

Il file deve essere un immagine vettoriale.

- Posiziona il file all'interno dell'area sicura. (example) C




1

2

A

B

C



DESIGN IMAGES:

Nei file forniti dai clienti, le grafiche devono essere **vettoriali**, oppure, nel caso di **immagini raster**, devono essere incorporate all'interno del file.



Nel caso di immagini in formato PNG raccomandiamo una risoluzione di 300 DPI



IMPOSTAZIONI COLORE:

È possibile stampare solo colori **CMYK**.



TESTI:

Nel caso siano presenti testi all'interno del file, è necessario convertirli in traccati.



FILE FORMATS:

Salvare il file in formato PDF per stampa di alta qualità.

- È molto importante mantenere i livelli **TEMPLATE** e **YOUR DESIGN** divisi.

Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: commerciale@ilmyo.it

PLASTIC JOINT HOLDER

CYLINDER MODEL

