





TEMPLATE DESIGN INSTRUCTIONS – TRAY LED

INSTRUCTIONS

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK

PRINTING CUSTOMIZATION

- 1 **LEVEL "TEMPLATE":**
Leave the level locked.
- A **PLATE AND TOUCH PRINTING**
You can print two graphics: one for the **plate** and one for the **touch controller**.
- 2 **LEVEL YOUR DESIGN:**
Insert your graphics into the level, inside the clipping mask, it corresponds to the printable area
 - The template is made of **two printable areas:**
 - ***PLAN DESIGN** corresponds to the surface of the tray.
 - ***RING DESIGN** is the light ring (TOUCH CONTROLS).
 - **COLORED RING:** the graphics can be printed inside the circle or on top of the ring, as in the example on the side. **B**
- C • Insert your graphic into the layer inside the clipping mask called RING DESIGN e PLAN DESIGN
- D **DESIGN:**
The file must be a vector or image.
In the case of raster images we recommend a 300 DPI resolution.



⚠ ATTENTION: Do not use PANTONE® colours.



DESIGN IMAGES:

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design.



In the case of PNG images we recommend a png format with 300 DPI



COLOR MODE:

Only **CMYK** colours are possible to print.



TEXT:

If there is text in your design, you need to convert into a text outline.



FILE FORMATS:

Save the file in pdf in high quality.

- It is important to keep the **TEMPLATE** and **YOUR DESIGN** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at: commerciale@ilmyo.it





ISTRUZIONI D'USO TEMPLATE - TRAY LED

ISTRUZIONI

QUANDO APRI IL FILE TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

PERSONALIZZAZIONE STAMPA

- 1 **LIVELLO " TEMPLATE ":**
Lasciare il livello bloccato.
 - A **STAMPA INFERIORE / SUPERIORE**
Puoi stampare due grafiche: una per il piatto e una per il comando touch.
 - 2 **LIVELLO YOUR DESIGN:**
Inserisci la tua grafica all'interno della maschera di taglio, corrisponde all'area del lavoro finito.
 - Il template è composto da **due aree stampabili:**
 - ***PLAN DESIGN** corrisponde alla superficie del vassoio.
 - ***RING DESIGN** corrisponde all'anello luminoso (TOUCH CONTROL).
 - **ANELLO COLORATO:** La grafica può essere stampata sia all'interno, sia sopra l'anello colorato, come esempio a lato. B
 - C • La grafica deve essere inserita all'interno delle maschere di ritaglio chiamate RING DESIGN e PLAN DESIGN.
 - D **DESIGN:**
Il file deve essere un vettore o un'immagine. Per le immagini raster consigliamo una risoluzione di 300dpi.
- ⚠ ATTENTION:** Non utilizzare tinte PANTONE®.


DESIGN IMAGES:

 Nei file forniti dai clienti, le grafiche devono essere **vettoriali**, oppure, nel caso di **immagini raster**, devono essere incorporate all'interno del file.


Nel caso di immagini in formato PNG raccomandiamo una risoluzione di 300 DPI


IMPOSTAZIONI COLORE:

 È possibile stampare solo colori **CMYK**.

TESTI:

Nel caso siano presenti testi all'interno del file, è necessario convertirli in tracciati.


FORMATO FILE:

Salvare il file in formato PDF per stampa di alta qualità.

- È molto importante mantenere i livelli **TEMPLATE** e **YOUR DESIGN** divisi.

 Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: commerciale@ilmyo.it



