

## TEMPLATE DESIGN INSTRUCTIONS- TRAY METAL - DIRECT PRINTING

### INSTRUCTIONS

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND TWO LEVELS OF WORK

## PRINTING CUSTOMIZATION

1

### LEVEL "TEMPLATE":

Leave the layer locked.

A




### DEMO DESIGN:

This is a demonstration drawing.

The graphics must be positioned within the red line, this line corresponds to the printable area, the drawing serves to give an idea of the finished work.

1  
2




B




### SAFE AREA:

This line is the safe area. The project must be positioned within the red line, this line corresponds to the printable area.

- Non spostare o eliminare alcuna riga



A  
B  
C



2



### LEVEL "YOUR DESIGN":

Insert your graphics here.

- Keep your artwork in the printable area.

C



### DESIGN:

The file must be an image or a vector.

- Fill the clipping mask with the background of your artwork.
- Abundance required for cutting.

D (example)

D



### DESIGN IMAGES:

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design.



In the case of PNG images we recommend a png format with 300 DPI



### COLOR MODE:

Only **CMYK** colours are possible to print



### TEXT:

If there is text in your design, you need to convert into a text outline.



### FILE FORMATS:

Save the file in pdf in high quality.

- It is important to keep the **TEMPLATE** and **YOUR DESIGN** layers divided

To submit PDF, EPS, AI, PSD, JPG, PNG files at [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

### ISTRUZIONI

QUANDO APRIRAI IL FILE DI TEMPLATE TROVERAI DUE LIVELLI DI LAVORO

## PERSONALIZZAZIONE STAMPA

1

### LEVEL "TEMPLATE":

Lasciare il livello bloccato.

A



### DEMO DESIGN:

Questo è un disegno dimostrativo.

La grafica deve essere posizionata all'interno della linea rossa, questa linea corrisponde alla superficie stampabile, il disegno serve a dar un'idea del lavoro finito.


B



### SAFE AREA:

Questa linea è l'area sicura. Il progetto deve essere posizionato all'interno della linea rossa, questa linea corrisponde alla superficie stampabile.

- Non spostare o eliminare alcuna riga



2



### LEVEL "YOUR DESIGN":

Inserisci qui la tua grafica.

- Mantieni il tua grafica nell'area stampabile.

C




### DESIGN:

Il file deve essere un immagine o un vettoriale.


- Riempi la maschera di ritaglio con lo sfondo della tua grafica.

Abbondanza richiesta per il taglio.

D (esempio)



1  
2



A  
B  
C

D



### DESIGN IMAGES:

Nei file forniti dai clienti, le grafiche devono essere **vettoriali**, oppure, nel caso di **immagini raster**, devono essere incorporate all'interno del file.



Nel caso di immagini in formato PNG raccomandiamo una risoluzione di 300 DPI



### IMPOSTAZIONI COLORE:

È possibile stampare solo colori **CMYK**.



### TESTI:

Nel caso siano presenti testi all'interno del file, è necessario convertirli in traccianti.



### FORMATO FILE:

Salvare il file in formato PDF per stampa di alta qualità.

- È molto importante mantenere i livelli **TEMPLATE** e **YOUR DESIGN** divisi.

Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: [commerciale@ilmyo.it](mailto:commerciale@ilmyo.it)

# TRAY METAL DIRECT PRINTING

RENDER TRAY



**CUSTOMIZABLE AREA**

**DIRECT PRINTING**

GRAPHICS SPACE

