

TEMPLATE DESIGN INSTRUCTIONS - CARD

INSTRUCTIONS

WHEN OPENING THE TEMPLATE FILE YOU WILL FIND FOUR LEVELS OF WORK

1

LEVEL " TEMPLATE ":

Leave the level locked.

A

RED LINE:

Safe area all important works of art must be placed within the red line.

FRONT BACK

FRONT / BACK PRINT:

You can choose to print one side or two sides (**front** and **back**).

B

CUSTOMIZABLE AREA:

The artwork must be positioned within the red line, this line corresponds to the printable surface, important designs such as (**texts and graphics**) must be at least **5mm** within the red line.

*

COLOR CARD:



2

LEVEL YOUR DESIGN:

Insert your graphics into the level, inside the red line, it corresponds to the printable area.

C



DESIGN:

Remember to incorporate all the images.


- The file must be placed inside the safe area. (example) **D**

3


LEVEL GLOSS:

Add the graphics you want to apply the glossy finish with the color sample:

- **RDG_GLOSS**



1
3
2



A

C



D



3



DESIGN IMAGES:

In the basic file sent by the customer, the graphics must be a **vector** or in the case of **images**, they must be attached or incorporated into the final design.



In the case of PNG images we recommend a png format with 300 DPI.



COLOR MODE:

Only **CMYK** colours are possible to print.



TEXT:

If there is text in your design, you need to convert into a text outline.



FILE FORMATS:

Save the file in pdf in high quality.

- It is important to keep the **TEMPLATE** and **YOUR DESIGN** layers divided.

To submit PDF, EPS, AI, PSD, JPG, PNG files at commerciale@ilmyo.it



ISTRUZIONI D'USO TEMPLATE - TESSERA

ISTRUZIONI

QUANDO APRI IL FILE DEL TEMPLATE TROVERAI QUATTRO LIVELLI DI LAVORO

1
LIVELLO " TEMPLATE ":

Lasciare il livello bloccato.

A

AREA DI SICUREZZA:

Questa linea è l'area sicura. La grafica deve essere posizionata all'interno della linea rossa.

FRONT BACK

STAMPA FRONTE / RETRO:

 Puoi stampare solamente un lato oppure entrambi (**fronte** e **retro**).

B
AREA PERSONALIZABILE:

 La grafica deve essere posizionata all'interno della linea rossa, essa corrisponde all'area stampabile, mantenere gli elementi importanti (testi e grafica principale) almeno a **5mm** dalla linea rossa.

*

COLORI TESSERA:

2

LIVELLO YOUR DESIGN:

Inserisci la tua grafica all'interno di questo livello, assicurati che sia all'interno dell'area stampabile.

C

DESIGN:



Ricorda di incorporare le immagini allegare.

- I file vanno posizionati all'interno dell'area di sicurezza. (esempio) **D**

3
LIVELLO "GLOSS":

Aggiungi le parti di grafica a cui vuoi applicare la finitura lucida utilizzando il campione:

- **RDG_GLOSS.**


1
3
2

A
C

D

3

GRAFICA:

Nel file inviato la grafica deve essere vettoriale o, nel caso di immagini, devono essere allegare o incorporate nel progetto finale.



Nel caso di immagini PNG consigliamo un formato PNG con 300 DPI.


COLORE:

È possibile stampare solo in CMYK.


TESTO:

Se è presente del testo nel tuo progetto devi convertirlo in tracciato o allegare i font.



FORMATO DEL FILE:

Salva il file in PDF, in alta qualità.


- È importante mantenere separati i livelli **TEMPLATE** e **YOUR DESIGN**

 Invia i tuoi file PDF, EPS, AI, PSD, JPG, PNG a: commerciale@ilmyo.it

CARD



FRONT



BACK